Brain Research, 408 (1987) 408–410
Elsevier

Author Index

Aiko, Y., Shima, F., Hosokawa, S., Kato, M. and Kitamura, K., Altered local cerebral glucose utilization induced by electrical stimulations of the thalamic sensory and parafascicular nuclei in rats, 47
Aiso, M., Shigematsu, K., Kebabian, J.W., Potter, W.Z., Cruciani, R.A. and Saavedra, J.M., Dopamine D_1 receptor in rat brain: a quantitative autoradiographic study with ^{125}I-SCH 23982, 281
Akagawa, K. and Barnstable, C.J., Identification and characterisation of cell types accumulating GABA in rat retinal cultures using cell type specific monoclonal antibodies, 154
Allen, J.M., see Brooks, P.A., 295
Artalejo, C.R., see Fonteriz, R.I., 359

Baisden, R.H., see Woodruff, M.L., 97
Baker, J., Wickland, C. and Peterson, B., Dependence of cat vestibulo-ocular reflex direction adaptation on animal orientation during adaptation and rotation in darkness, 339
Barksdale, C.M., see Kalin, N.H., 192
Barlow, T.S., see Harrell, L.E., 131
Barnes, C.A., see Rao, G., 267
Barnstable, C.J., see Akagawa, K., 154
Bawnik, Y., see Zak, N.B., 263
Beach, T.G., Tago, H. and McGeer, E.G., Light microscopic evidence for a substance P-containing innervation of the human nucleus basalis of Meynert, 251
Beesley, P.W., Paladino, T., Gravel, C., Hawkes, R.A. and Gurd, J.W., Characterization of gp 50, a major glycoprotein present in rat brain synaptic membranes, with a monoclonal antibody, 65
Benbasat, S., see Zak, N.B., 263
Benson, A.E., see Woodruff, M.L., 97
Blaha, C.D., see Lane, R.F., 317
Böhringer, P.G., see Güntürkün, O., 1
Brodin, L., see Buchanan, J.T., 299
Brodin, L., see Buchanan, J.T., 321
Brooks, P.A., Kelly, J.S., Allen, J.M., Smith, D.A.S. and Stone, T.W., Direct excitatory effects of neuropeptide Y (NPY) on rat hippocampal neurones in vitro, 295
Bruce, G., see Carpenter, M.B., 275
Buchanan, J.T., Brodin, L., Dale, N. and Grillner, S., Reticulospinal neurones activate excitatory amino acid receptors, 321
Buchanan, J.T., Brodin, L., Hökfelt, T., Van Dongen, P.A.M. and Grillner, S., Survey of neuropeptide-like immunoreactivity in the lamprey spinal cord, 299

Camarri, F., see Marrosu, F., 394
Campbell, K.A., see Foster, T.C., 86
Carcangiu, P., see Marrosu, F., 394
Carpenter, M.B., Chang, L., Pereira, A.B., Hersh, L.B., Bruce, G. and Wu, J.-Y., Vestibular and cochlear efferent neurons in the monkey identified by immunocytochemical methods, 275
Carroll, K.L., see Donoghue, J.P., 367
Casey, K.L., Morrow, T.J., Terry, L.C. and Craig, R., Differential effects of chronic partial myelotomies on monoamine levels in cat spinal cord, 377
Caverson, M.M., see Elisevich, K., 227
Centra, M., see Lysz, T.W., 6
Chang, L., see Carpenter, M.B., 275
Christian, E.P., see Foster, T.C., 86
Ciriello, J., see Elisevich, K., 227
Coggeshall, R.E., see Jenq, C.-B., 239
Craig, R., see Casey, K.L., 377
Cruciani, R.A., see Aiso, M., 281
Cupo, A., see Vion-Dury, J., 243

Dale, N., see Buchanan, J.T., 321
Dawson, T.M., see Filloux, F.M., 205
Deadwyler, S.A., see Foster, T.C., 86
De Nicola, A.F., see Moses, D.F., 118
Dickenson, A.H., Sullivan, A.F., Fournie-Zaluski, M.C. and Roques, B.P., Prevention of degradation of endogenous enkephalins produce inhibition of nociceptive neurones in rat spinal cord, 185
Donnelly, D.F., see Sica, A.L., 222
Donoghue, J.P. and Carroll, K.L., Cholinergic modulation of sensory responses in rat primary somatic sensory cortex, 367
Dyer, R.S., see Tilson, H.A., 163

Eckert, M., see Holets, V.R., 141
Elisevich, K., Caverson, M.M., Flumerfelt, B.A., Hrycyshyn, A.W. and Ciriello, J., Collateral branching in axonal projections to spinal cord from paramedian reticular nucleus neurons, 227
Endoh, H., see Shimoji, K., 385

Fares, F., Weizman, A., Zlotogorski, D. and Gavish, M., Ontogenic development of peripheral benzodiazepine binding sites in rat brain, heart and lung, 381
Ferraro, T.N., see Manyam, B.V., 125
Filloux, F.M., Wamsley, J.K. and Dawson, T.M., Presynaptic and postsynaptic D_1 dopamine receptors in the nigrostriatal system of the rat brain: a quantitative autoradiographic study using the selective D_1 antagonist [^{3}H]SCH 23390, 205
Flumerfelt, B.A., see Elisevich, K., 227
Fonteriz, R.I., Gandia, L., Lopez, M.G., Artalejo, C.R. and García, A.G., Dihydropyridine chirality at the chromaffin cell calcium channel, 359
Foster, T.C., Christian, E.P., Hampson, R.E., Campbell, K.A. and Deadwyler, S.A., Sequential dependencies regulate sensory evoked responses of single units in the rat hippocampus, 86
Fournie-Zaluski, M.C., see Dickenson, A.H., 185
Fratta, W., see Marrosu, F., 394
Fujiwara, N., see Shimoji, K., 385

Gandhi, M.R., see Sica, A.L., 222
Gandia, L., see Fonteriz, R.I., 359
García, A.G., see Fonteriz, R.I., 359
Gavish, M., see Fares, F., 381
Gessa, G.L., see Marrosu, F., 394
Gessa, G.L., see Mereu, G., 210

Brain Research, 408 (1987) 408–410
Elsevier

Author Index

Aiko, Y., Shima, F., Hosokawa, S., Kato, M. and Kitamura, K., Altered local cerebral glucose utilization induced by electrical stimulations of the thalamic sensory and parafascicular nuclei in rats, 47
Aiso, M., Shigematsu, K., Kebabian, J.W., Potter, W.Z., Cruciani, R.A. and Saavedra, J.M., Dopamine D_1 receptor in rat brain: a quantitative autoradiographic study with ^{125}I-SCH 23982, 281
Akagawa, K. and Barnstable, C.J., Identification and characterisation of cell types accumulating GABA in rat retinal cultures using cell type specific monoclonal antibodies, 154
Allen, J.M., see Brooks, P.A., 295
Artalejo, C.R., see Fonteriz, R.I., 359

Baisden, R.H., see Woodruff, M.L., 97
Baker, J., Wickland, C. and Peterson, B., Dependence of cat vestibulo-ocular reflex direction adaptation on animal orientation during adaptation and rotation in darkness, 339
Barksdale, C.M., see Kalin, N.H., 192
Barlow, T.S., see Harrell, L.E., 131
Barnes, C.A., see Rao, G., 267
Barnstable, C.J., see Akagawa, K., 154
Bawnik, Y., see Zak, N.B., 263
Beach, T.G., Tago, H. and McGeer, E.G., Light microscopic evidence for a substance P-containing innervation of the human nucleus basalis of Meynert, 251
Beesley, P.W., Paladino, T., Gravel, C., Hawkes, R.A. and Gurd, J.W., Characterization of gp 50, a major glycoprotein present in rat brain synaptic membranes, with a monoclonal antibody, 65
Benbasat, S., see Zak, N.B., 263
Benson, A.E., see Woodruff, M.L., 97
Blaha, C.D., see Lane, R.F., 317
Böhringer, P.G., see Güntürkün, O., 1
Brodin, L., see Buchanan, J.T., 299
Brodin, L., see Buchanan, J.T., 321
Brooks, P.A., Kelly, J.S., Allen, J.M., Smith, D.A.S. and Stone, T.W., Direct excitatory effects of neuropeptide Y (NPY) on rat hippocampal neurones in vitro, 295
Bruce, G., see Carpenter, M.B., 275
Buchanan, J.T., Brodin, L., Dale, N. and Grillner, S., Reticulospinal neurones activate excitatory amino acid receptors, 321
Buchanan, J.T., Brodin, L., Hökfelt, T., Van Dongen, P.A.M. and Grillner, S., Survey of neuropeptide-like immunoreactivity in the lamprey spinal cord, 299

Camarri, F., see Marrosu, F., 394
Campbell, K.A., see Foster, T.C., 86
Carcangiu, P., see Marrosu, F., 394
Carpenter, M.B., Chang, L., Pereira, A.B., Hersh, L.B., Bruce, G. and Wu, J.-Y., Vestibular and cochlear efferent neurons in the monkey identified by immunocytochemical methods, 275
Carroll, K.L., see Donoghue, J.P., 367
Casey, K.L., Morrow, T.J., Terry, L.C. and Craig, R., Differential effects of chronic partial myelotomies on monoamine levels in cat spinal cord, 377
Caverson, M.M., see Elisevich, K., 227
Centra, M., see Lysz, T.W., 6
Chang, L., see Carpenter, M.B., 275
Christian, E.P., see Foster, T.C., 86
Ciriello, J., see Elisevich, K., 227
Coggeshall, R.E., see Jenq, C.-B., 239
Craig, R., see Casey, K.L., 377
Cruciani, R.A., see Aiso, M., 281
Cupo, A., see Vion-Dury, J., 243

Dale, N., see Buchanan, J.T., 321
Dawson, T.M., see Filloux, F.M., 205
Deadwyler, S.A., see Foster, T.C., 86
De Nicola, A.F., see Moses, D.F., 118
Dickenson, A.H., Sullivan, A.F., Fournie-Zaluski, M.C. and Roques, B.P., Prevention of degradation of endogenous enkephalins produce inhibition of nociceptive neurones in rat spinal cord, 185
Donnelly, D.F., see Sica, A.L., 222
Donoghue, J.P. and Carroll, K.L., Cholinergic modulation of sensory responses in rat primary somatic sensory cortex, 367
Dyer, R.S., see Tilson, H.A., 163

Eckert, M., see Holets, V.R., 141
Elisevich, K., Caverson, M.M., Flumerfelt, B.A., Hrycyshyn, A.W. and Ciriello, J., Collateral branching in axonal projections to spinal cord from paramedian reticular nucleus neurons, 227
Endoh, H., see Shimoji, K., 385

Fares, F., Weizman, A., Zlotogorski, D. and Gavish, M., Ontogenic development of peripheral benzodiazepine binding sites in rat brain, heart and lung, 381
Ferraro, T.N., see Manyam, B.V., 125
Filloux, F.M., Wamsley, J.K. and Dawson, T.M., Presynaptic and postsynaptic D_1 dopamine receptors in the nigrostriatal system of the rat brain: a quantitative autoradiographic study using the selective D_1 antagonist [^{3}H]SCH 23390, 205
Flumerfelt, B.A., see Elisevich, K., 227
Fonteriz, R.I., Gandia, L., Lopez, M.G., Artalejo, C.R. and García, A.G., Dihydropyridine chirality at the chromaffin cell calcium channel, 359
Foster, T.C., Christian, E.P., Hampson, R.E., Campbell, K.A. and Deadwyler, S.A., Sequential dependencies regulate sensory evoked responses of single units in the rat hippocampus, 86
Fournie-Zaluski, M.C., see Dickenson, A.H., 185
Fratta, W., see Marrosu, F., 394
Fujiwara, N., see Shimoji, K., 385

Gandhi, M.R., see Sica, A.L., 222
Gandia, L., see Fonteriz, R.I., 359
García, A.G., see Fonteriz, R.I., 359
Gavish, M., see Fares, F., 381
Gessa, G.L., see Marrosu, F., 394
Gessa, G.L., see Mereu, G., 210

Gilad, G.M. and Gilad, V.H., Age-related reductions in brain cholinergic and dopaminergic indices in two rat strains differing in longevity, 247
Gilad, V.H., see Gilad, G.M., 247
Gintzler, A.R., see Sander, H.W., 389
Gonatas, J.O., see Stieber, A., 13
Gonatas, N.K., see Stieber, A., 13
Gravel, C., see Beesley, P.W., 65
Grenon, G., see Robitaille, R., 353
Grillner, S., see Buchanan, J.T., 299
Grillner, S., see Buchanan, J.T., 321
Grimes, L., see Tilson, H.A., 163
Güntürkün, O. and Böhringer, P.G., Lateralization reversal after intertectal commissurotomy in the pigeon, 1
Gurd, J.W., see Beesley, P.W., 65

Hampson, R.E., see Foster, T.C., 86
Hankin, M.H. and Lund, R.D., Specific target-directed axonal outgrowth from transplanted embryonic rodent retinae into neonatal rat superior colliculus, 344
Hare, T.A., see Manyam, B.V., 125
Harel, A., see Zak, N.B., 263
Harrell, L.E., Parsons, D.S., Peagler, A. and Barlow, T.S., Alterations in regulatory behaviors induced by medial septal lesions and superior cervical ganglionectomy, 131
Harry, G.J., see Tilson, H.A., 163
Hawkes, R.A., see Beesley, P.W., 65
Hernández, R.J., Brain Na^+,K^+-ATPase activity possibly regulated by a specific serotonin receptor, 399
Hersh, L.B., see Carpenter, M.B., 275
Hökfelt, T., see Holets, V.R., 141
Hökfelt, T., see Buchanan, J.T., 299
Holets, V.R., Hökfelt, T., Ude, J., Eckert, M., Penzlin, H., Verhofstad, A.A.J. and Visser, T.J., A comparative study of the immunohistochemical localization of a presumptive proctolin-like peptide, thyrotropin-releasing hormone and 5-hydroxytryptamine in the rat central nervous system, 141
Hong, J.S., see Tilson, H.A., 163
Hosokawa, S., see Aiko, Y., 47
Hrycyshyn, A.W., see Elisevich, K., 227
Hu, X.-T., see Mereu, G., 210

Ishihara, T., see Nakagawa, Y., 57
Itoh, K., see Yasui, Y., 334

Jarry, T., see Vion-Dury, J., 243
Jenq, C.-B. and Coggeshall, R.E., Permeable tubes increase the length of the gap that regenerating axons can span, 239

Kadono, Y., see Minabe, Y., 286
Kalin, N.H., Shelton, S.E. and Barksdale, C.M., Separation distress in infant rhesus monkeys: effects of diazepam and Ro 15-1788, 192
Kase, Y., see Nakagawa, Y., 57
Kato, M., see Aiko, Y., 47
Kavaliers, M., Stimulatory influences of calcium channel antagonists on stress-induced opioid analgesia and locomotor activity, 403
Kebabian, J.W., see Aiso, M., 281
Keeting, P.E., see Lysz, T.W., 6
Kelly, J.S., see Brooks, P.A., 295
Kitamura, K., see Aiko, Y., 47
Komisaruk, B.R., see Peters, L.C., 199
Kristal, M.B., see Peters, L.C., 199
Kurachi, M., see Minabe, Y., 286
Kurihara, M., Saavedra, J.M. and Shigematsu, K., Localization and characterization of atrial natriuretic peptide binding sites in discrete areas of rat brain and pituitary gland by quantitative autoradiography, 31

Laduron, P.M., see Schotte, A.G., 326
Lam, D.M.K., see Watt, C.B., 258
Lane, R.F. and Blaha, C.D., Acute thioridazine stimulates mesolimbic but not nigrostriatal dopamine release: demonstration by in vivo electrochemistry, 317
Li, T., see Watt, C.B., 258
Lopez, M.G., see Fonteriz, R.I., 359
Louvard, D., see Stieber, A., 13
Lund, R.D., see Hankin, M.H., 344
Lysz, T.W., Centra, M., Markey, K. and Keeting, P.E., Evidence for increased activity of mouse brain fatty acid cyclooxygenase following drug-induced convulsions, 6

MacMillan, V., A comparison of the effects of carbon monoxide intoxication and low-oxygen gas mixtures on cerebral biogenic amine metabolism, 40
Manyam, B.V., Ferraro, T.N. and Hare, T.A., Isoniazid-induced alteration of CSF neurotransmitter amino acids in Huntington's disease, 125
Markey, K., see Lysz, T.W., 6
Marrosu, F., Mereu, G., Fratta, W., Carcangiu, P., Camarri, F. and Gessa, G.L., Different epileptogenic activities of murine an ovine corticotropin-releasing factor, 394
Maxwell, D.J. and Noble, R., Relationships between hair-follicle afferent terminations and glutamic acid decarboxylase-containing boutons in the cat's spinal cord, 308
McGeer, E.G., see Beach, T.G., 251
McNaughton, B.L., see Rao, G., 267
McWilliams, C., see Wirtshafter, D., 349
Mereu, G., Hu, X.-T., Wang, R.Y., Westfall, T.C. and Gessa, G.L., Failure of subchronic lisuride to modify A10 dopamine autoreceptors' sensitivity, 210
Mereu, G., see Marrosu, F., 394
Meyer-Lohmann, J., see Windhorst, U., 289
Miceli, D., see Reperant, J., 233
Minabe, Y., Tanii, Y., Kadono, Y., Tsutsumi, M. and Kurachi, M., Serial changes of the susceptibility of epileptogenic focus during hippocampal kindling induced with low-frequency electrical stimulation in cats, 286
Mizuno, N., see Yasui, Y., 334
Mori, K., Monoclonal antibodies (2C5 and 4C9) against lactoseries carbohydrates identify subsets of olfactory and vomeronasal receptor cells and their axons in the rabbit, 215
Morrow, T.J., see Casey, K.L., 377
Moses, D.F., Ortí, E. and De Nicola, A.F., A comparison of the glucocorticoid receptor system in the spinal cord and hippocampus, 118
Mueller, K., Voltammetric evidence in vivo of cholinergic modulation of extracellular ascorbic acid and uric acid in rat striatum, 313

Nagakawa, Y., Nakamura, S., Kase, Y., Noguchi, T. and Ishihara, T., Colchicine lesions in the rat hippocapus mimic the alterations of several markers in Alzheimer's disease, 57
Nakamura, S., see Nakagawa, Y., 57
Nedergaard, M., Transient focal ischemia in hyperglycemic rats is associated with increased cerebral infarction, 79
Noble, R., see Maxwell, D.J., 308

Noguchi, T., see Nakagawa, Y., 57

Ohama, E., see Shimoji, K., 385
Ortí, E., see Moses, D.F., 118
Ossowska, K., see Wardas, J., 363

Paladino, T., see Beesley, P.W., 65
Paré, D., see Steriade, M., 372
Parent, A., see Steriade, M., 372
Parsons, D.S., see Harrell, L.E., 131
Peagler, A., see Harrell, L.E., 131
Peck, C.K., Saccade-related burst neurons in cat superior colliculus, 329
Penzlin, H., see Holets, V.R, 141
Pereira, A.B., see Carpenter, M.B., 275
Peters, L.C., Kristal, M.B. and Komisaruk, B.R., Sensory innervation of the external and internal genitalia of the female rat, 199
Peterson, B., see Baker, J., 339
Peterson, N.J., see Tilson, H.A., 163
Potter, W.Z., see Aiso, M., 281

Rao, G., Barnes, C.A. and McNaughton, B.L., Occlusion of hippocampal electrical junctions by intracellular calcium injection, 267
Reperant, J., Miceli, D., Rio, J.P. and Weidner, C., The primary optic system in a micropthalamic snake (*Calabaria reinhardti*), 233
Rio, J.P., see Reperant, J., 233
Rissing, R., see Windhorst, U., 289
Robitaille, R., Tremblay, J.P. and Grenon, G., Interrelation between MEPP amplitude and MEPP frequency in different regions along the frog neuromuscular junction, 353
Rogers, B.C., see Tilson, H.A., 163
Romijn, H.J., see Van Huizen, F., 271
Roques, B.P., see Dickenson, A.H., 185

Saavedra, J.M., see Kurihara, M., 31
Saavedra, J.M., see Aiso, M., 281
Sander, H.W. and Gintzler, A.R., Spinal cord mediation of the opioid analgesia of pregnancy, 389
Schotte, A.G. and Laduron, P.M., Different postnatal ontogeny of two [^{3}H]neurotensin binding sites in rat brain, 326
Schwartz, M., see Zak, N.B., 263
Shelton, S.E., see Kalin, N.H., 192
Shigematsu, K., see Aiso, M., 281
Shigematsu, K., see Kurihara, M., 31
Shima, F., see Aiko, Y., 47
Shimoji, K., Takahata, Y., Fujiwara, N., Endoh, H., Taga, K. and Ohama, E., Effects of pentobarbital and ketamine on brain injury-induced anti-ischemic activity, 385
Sica, A.L., Donnelly, D.F., Steele, A.M. and Gandhi, M.R., Discharge properties of dorsal medullary inspiratory neurons in newborn pigs, 222
Smith, D.A.S., see Brooks, P.A., 295
Smith, D.V., see Sweazey, R.D., 173
Smith, Y., see Steriade, M., 372
Steele, A.M., see Sica, A.L., 222
Steriade, M., Parent, A., Paré, D. and Smith, Y., Cholinergic and non-cholinergic neurons of cat basal forebrain project to reticular and mediodorsal thalamic nuclei, 372
Stieber, A., Gonatas, J.O., Gonatas, N.K. and Louvard, D., The Golgi apparatus-complex of neurons and astrocytes studied with an anti-organelle antibody, 13
Stone, T.W., see Brooks, P.A., 295
Sullivan, A.F., see Dickenson, A.H., 185
Sweazey, R.D. and Smith, D.V., Convergence onto hamster medullary taste neurons, 173

Taga, K., see Shimoji, K., 385
Tago, H., see Beach, T.G., 251
Takahata, Y., see Shimoji, K., 385
Tanii, Y., see Minabe, Y., 286
Terry, L.C., see Casey, K.L., 377
Tilson, H.A., Rogers, B.C., Grimes, L., Harry, G.J., Peterson, N.J., Hong, J.S. and Dyer, R.S., Time-dependent neurobiological effects of colchicine administered directly into the hippocampus of rats, 163
Tohyama, M., see Yamano, M., 22
Tremblay, J.P., see Robitaille, R., 353
Tsutsumi, M., see Minabe, Y., 286

Ude, J., see Holets, V.R., 141

Van Dongen, P.A.M., see Buchanan, J.T., 299
Van Huizen, F. and Romijn, H.J., Tetrodotoxin enhances initial neurite outgrowth from fetal rat cerebral cortex cells in vitro, 271
Verhofstad, A.A.J., see Holets, V.R., 141
Vion-Dury, J., Cupo, A. and Jarry, T., Analgesic properties of valproic acid might be related to activation of pro-enkephalin system in rat brain, 243
Visser, T.J., see Holets, V.R., 141
Vogel, Z., see Zak, N.B., 263

Wamsley, J.K., see Filloux, F.M., 205
Wang, R.Y., see Mereu, G., 210
Wardas, J., Ossowska, K. and Wolfarth, S., The role of γ-aminobutyric acid mechanisms of the zona incerta-lateral hypothalamus in the catalepsy and muscle rigidity evoked by morphine, 363
Watt, C.B., Li, T., Lam, D.M.K. and Wu, S.M., Interactions between enkephalin and γ-aminobutyric acid in the larval tiger salamander retina, 258
Weidner, C., see Reperant, J., 233
Weizman, A., see Fares, F., 381
Westfall, T.C., see Mereu, G., 210
Whittington, D.L., see Woodruff, M.L., 97
Wickland, C., see Baker, J., 339
Wild, J.M., Nuclei of the lateral lemniscus project directly to the thalamic auditory nuclei in the pigeon, 303
Windhorst, U., Rissing, R. and Meyer-Lohmann, J., Aftereffects of stochastic synaptic Renshaw cell excitation on their discharge probability, 289
Wirtshafter, D. and McWilliams, C., Suppression of locomotor activity produced by acute injections of kainic acid into the median raphe nucleus, 349
Wolfarth, S., see Wardas, J., 363
Woodruff, M.L., Baisden, R.H., Whittington, D.L. and Benson, A.E., Embryonic hippocampal grafts ameliorate the deficit in DRL acquisition produced by hippocampectomy, 97
Wu, J.-Y., see Carpenter, M.B., 275
Wu, S.M., see Watt, C.B., 258

Yamano, M. and Tohyama, M., Afferent and efferent enkephalinergic systems of the tegmental nuclei of Gudden in the rat: an immunocytochemical study, 22
Yasui, T., Itoh,. K. and Mizuno, N., Direct projections from the caudal spinal trigeminal nucleus to the striatum in the cat, 334

Zak, N.B., Harel, A., Bawnik, Y., Benbasat, S., Vogel, Z. and Schwartz, M., Laminin-immunoreactive sites are induced by growth-associated triggering factors in injured rabbit optic nerve, 263
Zlotogorski, D., see Fares, F., 381